CKMfitter and CKMlive

Sébastien Descotes-Genon


Laboratoire de Physique Théorique CNRS & Univ. Paris-Sud, Université Paris-Saclay, 91405 Orsay, France

KMI, Nagoya, Feb 22nd 2019





Outline



- Determining the CKM matrix parameters (physics and statistics)
- Implementing in a software (CKMfitter and 1st tutorial)
- Using the web-based interface (CKMlive 2nd tutorial)

CKMfitter and fastfitter



A frequentist framework to implement

$$p = (A, \lambda, \bar{\rho}, \bar{\eta} \ldots) = (q, r)$$

- q parameters of interest (CKM), r nuisance parameters (hadronic)
- $\mathcal{O}_{\text{meas}} \pm \sigma_{\mathcal{O}}$ experimental values of observables
- $\mathcal{O}_{th}(p)$ theoretical description in a given model

$$\mathcal{L}(p) = \prod_{\mathcal{O}} \mathcal{L}_{\mathcal{O}}(p) \qquad T(p) = -2 \ln \mathcal{L}(p) = \sum_{\mathcal{O}} \left(\frac{\mathcal{O}_{\text{th}}(p) - \mathcal{O}_{\text{meas}}}{\sigma_{\mathcal{O}}} \right)^{2}$$
$$\chi^{2}(q) = \min_{r} T(q, r)$$

- Central value: estimator \hat{q} max likelihood $\chi^2(\hat{q}) = \min_q \chi^2(q)$
- Range: confidence level (p-value) for q_0 computed from $\Delta \chi^2(q_0) = \chi^2(q_0) \min_q \chi^2(q)$, assuming χ^2 law with $N = \dim(q)$
- Specific (Rfit) treatment of theoretical uncertainties modifying \mathcal{L} , and impacting the procedure to average measurements

CKMfitter software

General objectives for CKM fitter



- Experimentalists and theorists working together
- Frequentist determination of CKM parameters from observables
- Large number of inputs, significant theoretical uncertainties
- Numerically demanding, with many scans and minimisations (in particular w.r.t nuisance parameters)

First version of the software (up to 2005)

- Fortran code + Minuit minimisation
- Fortran: legibility/modularity difficult to maintain
- Minuit: numerical determination of first derivatives (gradient)

Second version of the software (from 2005)

- Fastfitter=Mathematica code + Fortran routines
- Mathematica: building of χ^2 and computation of first derivatives
- Fortran: minimisation using publicly available, MINUIT-like routines

CKMfitter current implementation




- Theory packages: express observables (branching ratios...) in terms of parameters $(A, \lambda ...)$
- Libraries: compactification algo to identify subexpressions repeated in obs and derivatives for quick numerical computation
- Fortran code: numerical minimisation
- Tools: ROOT routines to draw the plots

Elements for an analysis

- Mathematica theory packages
 - observables (branching ratios...) in terms of parameters $(A, \lambda...)$
 - compute derivatives and simplify expressions once and for all
 - possibility to define several models (SM, NP)
- Input datacards
 - list of inputs at a given date (PDG, HFLAV, FLAG...)
 - observables (measurements) but also parameters (lattice QCD inputs for hadronic params)
- Analysis datacard
 - Theories to be considered
 - Inputs to be considered
 - Parameter(s) to be scanned and constrained
 - Plots to be drawn

Modularity of the approach, allowing to add new elements easily χ^2 function to be minimised build for the analysis chosen

Analysis flow chart



Theory packages

- Express observables in terms of parameters, in a given model
- Compute observables and first derivatives after simplification
- ullet Store the results in anciliary files used later to build χ^2
 - CKMmatrix : Definition of the various CKM-related quantities
 - BBbarKKbarMixing: BBbar and KKbar mixing related quantities
 - LeptonicDecay: Branching ratios for B⁺ -> I⁺ v and similar leptonic decay
 - SemileptonicDecay: Branching ratios for K and D semileptonic decays
 - DiLeptonicDecay: Branching ratio of B -> I+ I* and similar dileptonic decays
 - BtoDK: B -> D(*)K(*) modes, for use in gamma analyses (GGSZ, GLW, ADS)
 - BtoDTauNu: B->D tau nu / B -> D I nu branching ratio
 - BtoDpiDstarPiDrho: Neutral decay B -> D(*)π or Dρ for time dependent analysis of sin(2β+γ)
 - BtoKstPiSU2: Charmless B->Κτιττ Package
 - BtoPiKPiKSU3: B,Bs->ππ, Kπ, KK decays assuming SU(3) symmetry
 - BtoPiPiSU2: B→ππ analysis
 - BtoRhoPiSU2: B→oπ analysis
 - BtoRhoRhoSU2: B→op analysis
 - DioTitio Inicool. D pp unaryon
 - BtoVgam: Radiative decay observables for B -> V γ
 - BtoXsGamma: Br(B->X_SY)
 - Charm: Charm observables
 - KtoPiLNu: Branching ratio of Kl3 decay
 - KtoPiNuNu: Branching ratio for K -> π v vbar
 - QCD: Strong coupling constant
 - = QED: aem
 - VcdVcs: Constraints on Vcd and Vcs

Structure of theory package

```
BeginPackage["LeptonicDecay", {"CKMmatrix", "DecayBagParameters", "OCD", "TheoryTools"} ]
LeptonicDecay`theory::usage="B(\!\/\*SuperscriptBox[\(B\), \(+\)]\)->\!\(\*SuperscriptBox[\(e\), \(+\)]\)\!\(\*SuPerscriptBox[\(e\), \(+\)]\)\!\(\*SuPerscriptBox[\(e\), \(e\), \(e\), \(e\)]\)
              B(\!\(\*SuperscriptBox[\(\c\),\(\+\)]\)) -> \!\(\*SuperscriptBox[\(\c\),\(\+\)]\)) !\(\*SubscriptBox[\(\c\),\(\c\)]\))
theory["SM"]={
  \{"A",A\}, \{"\lambda",\lambda\}, \{"\setminus (\some ((\rho), \setminus (_\)))\}, \obar\}, \{"\setminus (\some ((\eta), \setminus (_\)))\}, \obar\}, \{"\lambda",\lambda\}, \{"\lambda",\lambda], \{"\lambda",\lambda\}, \{"\lambda",\lambda\}, \{"\lambda",\lambda\}, \{"\lambda",\lambda], \{"\lambda",\lambda\}, \{"\lambda",\lambda], \{"\lambda",\lambda\}, \{"\lambda",\lambda\}, \{"\lambda",\lambda], \{"\lambda",\lambda\}, \{"\lambda",\lambda], \{"\lambda",\lambda\}, \{"\lambda",\lambda], \{"\lambda",\lambda\}, \{"\lambda",\lambda], \{"\lambda",\lambda\}, \{"\lambda",\lambda], \{"\lambda",\lambda\}, \{"\lambda",\lambda], \{
    {"fBs",fBs},{"fBs/fBd",fBsOfBd},
  {"fDs",fDs},{"fDs/fDd",fDsOfDd},
    {"fK",fKLOCD}, {"fK/fx",fKOfpi},
    {"\delta Kl2Rad", \delta Kl2Rad }, \{ "\delta t K2Rad ", \delta t K2Rad \}
    {"B(B->ev)", "B(B->uv)",
  "B(B->TV)", "B(D->eV)",
  "B(D->uv)".
  "B(Ds->ev)", "B(Ds->μν)",
"B(Ds->tv)", "B(K->ev)",
  "B(K->\mu\nu)", "B(\tau->K\nu)",
"Ke2/πe2", "Ku2/πu2",
  "TK2/TM2", "fBd",
  "fDd", "fn"}
theory["NP(H+)"]={
  \{"A",A\}, \{"\lambda",\lambda\}, \{"\setminus (\some f(\rho), ((\some f(\eta), ((\some
    {"fBs",fBs},{"fBs/fBd",fBsOfBd},
    ("fDs",fDs), ("fDs/fDd",fDsOfDd),
  {"fK".fKLOCD}, {"fK/fx".fKOfpi},
  {"\delta Kl2Rad", \delta Kl2Rad }, {"\delta \text{tK2Rad}", \delta \text{tK2Rad} },
    {"tanβ",tanbeta}, {"mH+",mHch}, {"eps0",eps0},
  {"mUbar", mUbar}, {"mdbar", mdbar}, {"msbar", msbar}, {"\!\(\*OverscriptBox[\(mc\), \(\)]\)", mcbar}, {"mbbar", mbbar}
```

Input datacard

```
{
       Input datacard for SM global CKM fit *)
   (*
                used for Summer 18
(* CKM moduli *)
{"|Vud|", 0.97420, 0, 0.00021}, (* Towner/Hardy: Proceeding in CKM2016, https://
pos.sissa.it/291/028/pdf *)
{"|Vus|xF+Kpi(0)", 0.2165, 0.0004}, (* PDG 16 *)
{"F+Kpi(0)", 0.9681, 0.0014, 0.0022},
(* see document AVERAGE OF LATTICE OCD INPUTS FOR CKM FITS *)
{"|Vub|", 3.98 10^-3, 0.08 10^-3, 0.22 10^-3 },
(* Summer 2018 update *)
{"|Vcb|", 41.8 10^-3, 0.4 10^-3, 0.6 10^-3},
(* Summer 2018 update *)
(* Inclusive and exclusive values averaged in the above *)
{"|Vub|slincl", 4.44*10^(-3), 0.17*10^(-3), 0.31*10^(-3)}, (* Summer 2018 update *)
{"|Vub|slexcl", 3.72*10^(-3),0.09*10^(-3),0.22*10^(-3)},
{"|Vcb|slincl", 42.2*10^(-3),0.4*10^(-3),0.6*10^(-3)},(* Summer 2018 update *)
{"|Vcb|slexcl", 41.2*10^(-3),0.6*10^(-3),1.1*10^(-3)},(* Summer 2018 update *)
(* |Vub|/|Vcb| from Lambda b decays *)
\{\text{"gamma(lambdab->p)/gamma(lambdab->lambdac)}}, 0.947*10^(-2), Sgrt[0.043^2+0.069^2]*10^(-2)\}.
  (* http://arxiv.org/pdf/1504.01568.pdf.updated according to new Lambda c->pkpi Br.
http://www-f9.ijs.si/~zupanc/hfaq-Lambda_c.pdf *)
{"zetap[15-g2max]/zetalambdac[7-g2max]".1.471.0.096. 0.290}.
 (* see document AVERAGE OF LATTICE OCD INPUTS FOR CKM FITS *)
```

Input datacard format

input type	meaning	syntax
"Fixed"	x = 12	{"x",12}
"Gauss"	x = 12 +-4(stat)	{"x",12,4}
"GaussAsym"	x = 12 +5(stat)-4(stat)	{"x",12,5,-4}
"Range"	x = 12 +-3(theo)	{"x",12,0,3}
"GaussRange"	x = 12 +-4(stat) +-3(theo)	{"x",12,4,3}
"GaussAsymRange"	x = 12 +5(stat)-4(stat) +-3(theo)	{"x",12,5,-4,3}
"Correlation"	correlation matrix (upper triangle)	{ {"x","y","z"}, 1,-0.2,0.1, 1,0.3, 1 }
"UpperLimit"	0 < x < 3.4 10^5 @ 90% CL	{"x",{3.4 10^-5},90}
"LUT"	LookUp Table for chi^2	{"x","LUTfile.dat"} (1D) or {{"x","y"},"LUTfile.dat"} (2D)

- Range corresponds to Rfit treatment of theoretical uncertainties
- ullet LUT corresponds to table for inputs with specific treatments (α, γ)

Analysis datacard

```
{
    analysisName -> "Vcb_",
    job \rightarrow \{1, 2, 3, 4\},\
    inputData -> "Summer18/globalCKMfit Summer18.data".
    theoryPackage-> {"BBbarKKbarMixing`"."LeptonicDecav`". "DiLeptonicDecav`"."SemileptonicDecav`"}.
        iobName[1] -> "indirect".
        takeMe[1] -> {
            "All(Vud-Vus)", "All(Vcd-Vcs)", "|Vub|",
            "All(B->taunu)", "All(Vub/Vcb)",
            "All(Deltamd)",
            "All(Deltams)",
            "All(|epsilonK|)".
            "sin2beta" "cos2beta".
            "alpha".
            "gamma",
            "All(B->ll)", "2beta_sb"
        jobName[2] -> "incl",
        replaceInput[2]->{"|Vcb|"->"|Vcb|slaver"."|Vcb|slincl"->"|Vcb|"].
        takeMe[2]->{
            "IVcbI"
        jobName[3] -> "excl",
        replaceInput[3]->{"|Vcb|"->"|Vcb|slaver","|Vcb|slexcl"->"|Vcb|"},
        takeMe[3]->{
            "IVcbI"
        iobName[4] -> "aver".
        takeMe[4]->{
            "|Vcb|"
        scanQty -> "|Vcb|",
        scanMin -> 0.036.
        scanMax -> 0.046.
        (stokołokołokołoko
                        common settings
                                            akakakakakakakakak
        startRange -> {"A"->{0.78, 0.85}, "lambda"->{0.2245, 0.2255}, "rhobar"->{0.1, 0
            .2}, "etabar"->{0.3, 0.4}, "LambdaOCD"->{0.2,0.24} },
        globalMinSearches -> 500,
```

From CKMfitter to CKMlive

CKMfitter

ckmfitter.in2p3.fr

- fastfitter software very powerful and modular
- but complicated to apprehend and to maintain
- still implementing new features (large expressions, alternative treatments of theo uncertainties)
- often requests: how the global fit would change with this input?

CKMlive (2015)

ckmlive.in2p3.fr

- Web interface for standard analyses (SM global fit)
- Based on same elements as CKMfitter, more user friendly (hopefully)
- Less powerful, only limited subsets of analyses available
- Main focus of the rest of the tutorial

Apologies




- Bugs in Summer 16 and Summer 18 datacards, which will be solved next week
 - ⇒we will work today with EPS15 data (old, but still valid)
- Computer server in France, so time of connection from Japan might take some time
 - ⇒we may have to wait at some point...
- Unusual to have so many requests at the same time
 could you form teams of two/three people to run analyses on a single computer?

A first fit with CKMlive



First exercise



- Use the same data as the global fit for EPS15
- ullet Perform the fit for $\bar{\eta}$
- Obtain the data file, the plot and confidence interval

⊕ Home

2. Your analyses/Start an analysis

Home - The CKMlive project and the CKMfitter group

1.Sign in

Start an analysis

Ongoing analyses

Administration
 ▼

Legal information

CKMlive Web Project

CKMlive is meant to allow the High Energy Physics community to run dedicated analyses conducted with the CKMfitter software.

You must register here first. Once registered, you will be able to start analyses using the CKMfitter environment.

The CKMlive project is brought to you by Jérôme CHARLES,


Alexandre CLAUDE, Sébastien DESCOTES-GENON, Stéphane

MONTEIL. The mailing list ckmlive@clermont.in2p3.fr is available to ask any questions on the project.

Some slides introducing the project.

SM global fit

In the framework of the Standard Model, charged-current quark transitions are described by the CKM matrix, which can be parameterised with four independent parameters. CKMlive allows you to perform the metrology of these parameters using experimental constraints on observables with a good control of theoretical uncertainties.



CKMfitter Group

CKMfitter is a group of theoreticians and experimentalists who propose global interpretations of the Flavour Physics data in the framework of the Standard Model (SM) of Particle Physics and beyond (BSM). The involved laboratories are by alphabetical order: CPT (Marseille), KEK (Japan), LAPP (Annecy-Le-Vieux), LPC (Clermont), LPNHE (Paris), LPT (Orsay), and the Universities of Berlin (Germany) and Melbourne (Australia).

A rather complete description of the group and its activities (including the main results and publications) can be found here. In particular, we provide the High Energy Physics community with the metrology of the four SM parameters describing the quark flavour charged current transitions in the Cabibbo-Kobayashi-Maskawa (CKM) paradigm, established with frequentist statistical techniques.

CKMlive is a web interface that will allow you to perform similar analysis for given scenarios (in particular the Standard Model global fit), either taking inputs from analyses already performed by the CKMfitter group or choosing your preferred inputs.

New Physics in $\Delta F = 2$

CKMlive will be extended to flavour analyses beyond the Standard Model in the future. For instance, it is possible to introduce New Physics contributions in neutral mesons mixing processes in a model-independent way by multiplying the SM mixing matrix



- Home
- + Your analyses -
- Administration
 ▼
- Legal information

Analysis - Scenario & Scan constraint

Choose your scenario

Select the model and the scenario that will be the basis of your analysis

Each step will help you to define the elements of your analysis. If you have already completed one step but change your mine, please do not use the "Back" feature of your browser. Instead, keep on following the steps up to the summary of your analysis, where you will be able to modify the information already provided, if necessary.

etabar-SDG Scan constraint 1D Model Standard Model Scenario EPS15 Continue 2. Continue

1.Fill the fields one after the other



- Home
- Administration ▼
- Legal information

Analysis - Target Input

Choose your target

Select the target(s), i.e., the quantity(ies) that you want to constrain through your analysis


Each step will help you to define the elements of your analysis. If you have already completed one step but change your mind, please do not use the "Back" feature of your browser. Instead, keep on following the steps up to the summary of your analysis, where you will be able to modify the information already provided, if necessary.

You can cancel the current selection by typing CTRL and selecting another element (on Unix/Windows) or by typing Command reselecting the selection (on Mac OS).

You can select several elements by pressing Command/Alt (on Mac OS) or shift (on Unix/Windows) at the time of selection

Information on this scenario (including the default input values) can be found on the EPS15 documentation page Info on params

Target observable



A meaningful range for etabar can be between -5 and 5

Scan min of the first target (etabar)

0.3

Scan max of the first target (etabar)

0.4

Target parameter



1. Select the observable or the parameter to scan

Cancel Analysis





- Home
- + Your analyses -
- Administration ▼
- Legal information

Documentation - EPS15

Standard Model > EPS15

Model Scenario Input

- $> |V_{ud}|$
- $|V_{ud}|$ is the d o u left-handed current coupling. It has been extracted using super-allowed nuclear eta-decays, The PDG average is $0.97425\pm0\pm0.00022$.
- $> |V_{us}| \times F_+^{K\pi}(0)$
- $|V_{us}| \times F_+^{K\pi}(0)$ corresponds to the $s \to u$ left-handed current coupling. It has been extracted from semileptonic kaon decays $(K_{\ell 3})$. The PDG 2015 experimental data is 0.2163 ± 0.0005 .
- $> |V_{ub}|$
- $|V_{ub}|$ is the $b \to u$ left-handed current coupling. It has been extracted from inclusive and exclusive semileptonic $b \to u$ transitions. The combination of experimental data with theoretical inputs on the relevant hadronic quantities leads to the CKMfitter average $(4.01 \pm 0.08 \pm 0.22) \times 10^{-3}$.
- $> |V_{cb}|$
- $|V_{cb}|$ is the $b \to c$ left-handed current coupling. It has been extracted from inclusive and exclusive semileptonic $b \to c$ transitions. The combination of experimental data with theoretical inputs on the relevant hadronic quantities leads to the CKMfitter average $(41.00 \pm 0.33 \pm 0.74) \times 10^{-3}$.
- $\Gamma(\Lambda_b \to p)/\Gamma(\Lambda_b \to \Lambda_c)$
- $\Gamma(\Lambda_p o p)/\Gamma(\Lambda_b o \Lambda_c)$ is the ratio of semileptonic Λ_b decay rates measured by LHCb $(1.00\pm 0.09) imes 10^{-2}$,



- Home
- + Your analyses -
- Administration ▼
- Legal information

Analysis - Target Input

Choose your target

Select the target(s), i.e., the quantity(ies) that you want to constrain through your analysis


Each step will help you to define the elements of your analysis. If you have already completed one step but change your mind, please do not use the "Back" feature of your browser. Instead, keep on following the steps up to the summary of your analysis, where you will be able to modify the information already provided, if necessary.

You can cancel the current selection by typing CTRL and selecting another element (on Unix/Windows) or by typing Command reselecting the selection (on Mac OS).

You can select several elements by pressing Command/Alt (on Mac OS) or shift (on Unix/Windows) at the time of selection

Information on this scenario (including the default input values) can be found on the EPS15 documentation page

Target observable



A meaningful range for etabar can be between -5 and 5

Scan min of the first target (etabar)


0.3

Scan max of the first target (etabar)

0.4

2.Select the scan range

Target parameter



1.Select the observable or the parameter to scan

- Home
- + Your analyses -
- Administration ▼
- ★ Legal information

Analysis - Input Element

Choose your inputs

Select the inputs, i.e., the quantities that will be used to constrain your target


Each step will help you to define the elements of your analysis. If you have already completed one step but change your mind, please do not use the "Back" feature of your browser. Instead, keep on following the steps up to the summary of your analysis, where you will be able to modify the information already provided, if necessary.

You can cancel the current selection by typing CTRL and selecting another element (on Unix/Windows) or by typing Command reselecting the selection (on Mac OS).

You can select several elements by pressing Command/Alt (on Mac OS) or shift (on Unix/Windows) at the time of selection

Information on this scenario (including the default input values) can be found on the EPS15 documentation page

Inputs





1.Select the inputs of the fit (recommended global fit)

X Cancel Analysis Continue

2. Continue



- Home
- + Your analyses -
- Administration ▼
- Legal information

Analysis - Plotting

Parametrise the plotting

This step is not mandatory and it can be skipped clicking the green button "Skip plotting"

√ Skip plotting step

Plot: optional

Each step will help you to define the elements of your analysis. If you have already completed one step but change your mind, please do not use the "Back" feature of your browser. Instead, keep on following the steps up to the summary of your analysis, where you will be able to modify the information already provided, if necessary.



Please enter a nickname. This will appear on the plot as CKMlive by nickname

Please enter a title for the plot of the result

Global fit

1. Give a nickname and a title




2. Continue



- Home
- + Your analyses -
- Administration ▼
- Legal information

Analysis - List

Success Your analysis [700] - "etabar-SDG" has been submitted. You will soon receive an email notification informing you of the end of its execution.



1

The process is launched

To Me <sebastien.descotes-genon@th.u-psud.fr> ☆

Hello ,

The result for analysis etabar-SDG.dat (id#700) is now available. You can find it by selecting the analysis in Your analyses/Ongoing analyses, clicking the green button to access the page "Personalise your analysis" and selecting "Obtain the results".

The requested plot is coming soon, and you will receive an additional mail when it is available.

With our best regards, CKMlive Web Server

This is an automatic notification from http://ckmlive.in2p3.fr
Please DO NOT reply to this message.
Thanks

After a while, 2 mails, one for the data file, the other for the plot

From CKM Live Web <ckmliveweb@in2p3.fr>☆

Reply
 → Forward

Archive

Junk Delete

te More v

06:58

To Me <sebastien.descotes-genon@th.u-psud.fr> ☆

Subject incoming plot analysis 2019-02-18-plot-analysis-700.end.eps

Hello ,

The plot 2019-02-18-plot-analysis-700.end.eps for analysis id#700 is now available. You can find it by selecting the analysis in Your analyses/Ongoing analyses, clicking the green button to access the page "Personalise your analysis", and selecting the tab "Plot" to "See the eps plot"

Greetings, CKMlive Web Server

This is an automatic notification from http://ckmlive.in2p3.fr
Please DO NOT reply to this message.
Thanks

Advertisement



The ckmfitter.in2p3.fr web page




Regular updates of CKM in the SM



Regular updates of CKM in the SM





Regular updates of CKM in the SM



CKMFITTER

Home

Plots & Results

Publications

CKMfitter Group

opyright © 2011 by CKMfitter grou

CKMfitter global fit results as of Summer 18:

- Wolfenstein parameters
 UT angles and sides
- UT_sangle and apex
- CKM elements
- Input parameters
- Decay branching fractions

These results correspond to the usual global fit. For a more extensive discussion, please read the summary of inputs and results.

The results for the tree-only fit are available here.


Wolfenstein parameters and Jarlskog invariant:

Observable	Central ± 1 σ	±2σ	±3σ
A	0.8403 [+0.0056 -0.0201]	0.840 [+0.011 -0.035]	0.840 [+0.016 -0.043]
λ	0.224747 [+0.000254 -0.000059]	0.22475 [+0.00062 -0.00012]	0.22475 [+0.00106 -0.00018]
pbar	0.1577 [+0.0096 -0.0074]	0.158 [+0.027 -0.014]	0.158 [+0.036 -0.020]
ηbar	0.3493 [+0.0095 -0.0071]	0.349 [+0.019 -0.017]	0.349 [+0.029 -0.025]
J [10 ⁻⁵]	3.172 [+0.094 -0.098]	3.17 [+0.19 -0.25]	3.17 [+0.29 -0.34]

UT angles and sides:

Observable	Central ± 1 σ	±2 σ	±3σ	
	-0.057 [+0.038 -0.061]		-0.06 [+0.12 -0.21]	
sin 2α (meas. not in the fit)	-0.077 [+0.048 -0.085]	-0.077 [+0.091 -0.161]	-0.08 [+0.13 -0.20]	
sin 2β	0.708 [+0.013 -0.010]	0.708 [+0.029 -0.021]	0.708 [+0.044	

Determination of constraints on NP



Who we are



Home

Plots & Results Specific Studies

Talks & Writeups Publications

CKMTitter G

Copyright © 2011 by CKMfitter group

The CKMfitter Group

If you have a specific request, a question or a comment, don't hesitate to send an email to the CKMfitter group:

ckmfitter-I@in2p3.fr

Jérôme Charles	Theory	CPT Marseille (France)
Olivier Deschamps	LHCb	LPC Clermont-Ferrand (France)
Sébastien Descotes- Genon	Theory	LPT Orsay (France)
Heiko Lacker	ATLAS/BABAR	Humboldt-Universität Berlin (Germany)
Stéphane Monteil	LHCb	LPC Clermont-Ferrand (France)
José Ocariz	ATLAS/BABAR	LPNHE Paris (France)
Jean Orloff	Theory	LPC Clermont-Ferrand (France)
Wenbin Qian	LHCb	University of Chinese Academy of Sciences (China)
Andrey Tayduanov	LHCb/Theory	TU Dortmund (Germany)
Vincent Tisserand	LHCb/BABAR	LPC Clermont-Ferrand (France)
Karim Trabelsi	Belle/Belle II	KEK Tsukuba (Japan)
Philip Urquijo	Belle/Belle II	Melbourne Universiy (Australia)
Luiz Vale Silva	Theory	Univ. Sussex (UK)

Back to our first fit





- ⊕ Home
- + Your analyses -
- Administration ▼
- Legal information

Analysis - List In « Your analyses/Ongoing analyses »

Analysis	Name	Date	Element target	scan constraint	status	Scenario Edit Remov
700	etabar-SDG	02/18/2019 - 06:22	$ar{\eta}$	1	Achieved	EPS15 🗾 3
701	rhobaretabar- SDG	02/18/2019 - 06:39	$rac{ar{ ho}}{ar{\eta}}$	2	chieved	EPS15
702	Vub-SDG	02/18/2019 - 06:49	$ V_{ub} $	1	Transfered on the computing server	EPS15 🔀 🔞
704	Vub-SDG-Indirect	02/18/2019 - 07:04	$ V_{ub} $	1	Prepared to be launched	EPS15 🖊 🔞

1

The process is achieved and the results can be retrieved




- Home
- + Your analyses -
- Legal information

Personalise your analysis

You can change the value of any input by clicking on the associated green button (both in the "Target" and "Inputs" thumbnails). You can see the parameters on which a given input depends by clicking on the corresponding grey button



For the data file



✓ Modify granularity

250

```
theoryPackage -> {{"BBbarKKbarMixing`", version -> "SM"}, {"LeptonicDecay`",
version -> "SM"}, {"SemileptonicDecay`", version -> "SM"}, {"DiLeptonicDecay`",
version -> "SMNNLO"}, {"KtoPiNuNu`", version -> "SM"}}
      inputData -> {}
//
11
      analysisName -> "etabar-SDG"
//
      takeMe -> {{"|Vud|", 0.97425, 0, 0.00022}, {"|Vus|xF+Kpi(0)", 0.2163, 0.0005},
{"|Vub|", 0.00398, 0.00008, 0.00022}, {"|Vcb|", 0.041, 0.00033, 0.00074}, {"alpha",
"Winter15/alpha_Winter15.dat"}, {"sin2beta", 0.691, 0.017}, {"cos2beta", 0.5, 0,
0.5}, {"gamma", "Summer14/gamma_CKM14.dat"}, {"Deltamd", 0.51, 0.003}, {"Deltams",
17.757, 0.021}, {"|epsilonK|", 0.00222800000000004, 0.000011}, {"alphaS(mZ)",
0.1185, 0, 0.0006}, {"B(B->taunu)", 0.000108000000000001, 0.000021}, {"B(K->enu)",
0.00001581, 8.*^-8}, {"B(K->munu)", 0.6355, 0.0011}, {"B(tau->Knu)", 0.006955,
0.000096}, {"Kmu2/pimu2", 1.3365, 0.0032}, {"tauK2/taupi2", 0.06431, 0.00094}, {"F
+Kpi(0)", 0.9645, 0.0015, 0.0045}, {"Bs", 1.32, 0.016, 0.03}, {"Bs/Bd", 1.023,
0.013, 0.014}, {"fBs", 0.224, 0.001, 0.002}, {"fBs/fBd", 1.205, 0.003, 0.006},
{"mtbar", 165.95, 0.35, 0.64}, {"etaB", 0.551, 0, 0.0022}, {"BK", 0.7615, 0.0027,
0.0137}, {"fK", 0.1552, 0.0002, 0.0006}, {"kappa_epsilonK", 0.94, 0.013, 0.023},
{"mcbar", 1.286, 0.013, 0.04}, {"etact", 0.497, 0, 0.047}, {"etatt", 0.5765, 0,
0.0065}, {"fK/fpi", 1.1952, 0.0007, 0.0029}, {"deltaKl2Rad", -0.007, 0, 0.0035},
{"deltatauK2Rad", 0.0073, 0, 0.0027}}
      scenario -> "EPS15"
//
      nickname -> "SDG"
//
      title -> "Global fit"
//
      plotQty -> {"#bar#eta"}
11
//
      scanQty -> {"etabar"}
      scanMin -> {0.3}
//
11
      scanMax -> {0.4}
11
      granularity -> 250
      startRange -> {"A" -> {0.7, 0.9}, "lambda" -> {0.22, 0.23}, "rhobar" -> {-1.,
1.}, "etabar" -> {-1., 1.}, "LambdaQCD" -> {0.2, 0.24}}
      verbose -> True
//
      equivalence -> {}
11
      plotMin -> {0.3}
//
      plotMax -> {0.4}
//
//
11
      alpha
                     Winter15/alpha_Winter15.dat LUT
//
                     Summer14/gamma_CKM14.dat
      qamma
//
      B(B->taunu)
                     0.000108000000000000001
                                                  0.000021 Gauss
//
      B(K->enu)
                     0.00001581
                                                  8.*^-8
                                                           Gauss
11
      B(K->munu)
                     0.6355
                                                  0.0011
                                                           Gauss
      B(tau->Knu)
                     0.006955
                                                  0.000096 Gauss
//
      Kmu2/pimu2
                     1.3365
                                                  0.0032
//
                                                           Gauss
      sin2beta
                     0.691
                                                  0.017
//
                                                           Gauss
11
      |Vus|xF+Kpi(0) 0.2163
                                                  0.0005
                                                           Gauss
//
      Deltamd
                                                  0.003
                                                           Gauss
                     0.51
      Deltams
//
                     17.757
                                                  0.021
                                                           Gauss
                                                  0.000011 Gauss
//
      |epsilonK|
                     0.00222800000000000004
11
      tauK2/taupi2
                     0.06431
                                                  0.00094 Gauss
      BK
                     0.7615
                                                  0.0027
                                                           0.0137
//
                                                                   GaussRange
                     1.32
                                                           0.03
                                                                   GaussRange
//
      Bs
                                                  0.016
```

//

analysisName -> "etabar-SDG"

Information on analysis, parameters, observables, scan and plot

Value of the inputs

```
11
      etaB
                     0.551
                                                           0.0022 Range
                     0.497
                                                           0.047
11
      etact
                                                                   Range
11
      etatt
                     0.5765
                                                           0.0065 Range
      kappa_epsilonK 0.94
                                                           0.023
                                                                   GaussRange
//
                                                  0.013
//
      global minimum Chi2 = 12.779 has been found at point
11
11
      A -> 0.822673
11
      lambda -> 0.225485
//
      rhobar -> 0.150552
11
      etaB -> 0.5525331276847826
//
      fBs -> 0.226047
//
      Bs -> 1.29235
11
      fBs/fBd -> 1.21131
11
      Bs/Bd -> 1.04116
11
      fK -> 0.155818
11
      BK -> 0.753141
11
      delta1 -> 2.0801
11
      etact -> 0.5398129335682634
//
      etatt -> 0.5781333841352221
//
      kappa_epsilonK -> 0.919654
11
      mtbar -> 166.445
11
      mcbar -> 1.30324
      LambdaQCD -> 0.225059
11
11
      fK/fpi -> 1.193
//
      deltaKl2Rad -> -0.008414151344995836
11
      deltatauK2Rad -> 0.00460001151867186
11
      F+Kpi(0) -> 0.959764
11
      etabar -> 0.3538
11
      approximate pValue (from Prob) is 46.5 %
11
//
11
      etabar = 0.3538 [+0.0069 -0.0067](1sigma)
//
      etabar = 0.354 [+0.016 -0.018](2sigma)
11
      etabar = 0.354 [+0.026 -0.027](3sigma)
//
      TeX etabar & $0.3538^{+0.0069}_{-0.0067}$ & $0.354^{+0.016}_{-0.018}$ &
$0.354^{+0.026}_{-0.027}$ \\
11
      Chi2Min = 12.779 is substracted
11
11
11
      column format: xbin (ybin) x (y) Chi2|1-p p-value
11
      end of header
//
134.983 0.353793 0.0007 0.978892
1 0.3002 45.814 1.30031E-11
2 0.3006 45.0176 1.95272E-11
3 0.301 44.2322 2.91644E-11
4 0.3014 43.4489 4.35176E-11
5 0.3018 42.6796 6.44813E-11
6 0.3022 41.9106 9.55433E-11
```

7 0.3026 41.1482 1.41113E-10

Global minimum and confidence intervals

p-value curve

- Home
- + Your analyses -
- Administration ▼
- Legal information

Personalise your analysis

You can change the value of any input by clicking on the associated green button (both in the "Target" and "Inputs" thumbnails). You can see the parameters on which a given input depends by clicking on the corresponding grey button



State

This analysis is achieved Obtain the results








- Home
- + Your analyses -
- Administration ▼
- ♣ Legal information

Personalise your analysis

You can change the value of any input by clicking on the associated green button (both in the "Target" and "Inputs" thumbnails). You can see the parameters on which a given input depends by clicking on the corresponding grey button




State


This analysis is achieved Obtain the results



For the plot



The value of the CKM parameter determined from the global fit




Any questions?



A first fit with CKMlive (bonus track)



First exercise (bonus track)



- Use the same data as the global fit for EPS15
- Perform the fit for $\bar{\eta}$ using only tree-level inputs
- Obtain the data file, the plot and confidence interval



- Home
- + Your analyses -
- Administration
 ▼
- Legal information

Analysis - Scenario & Scan constraint

Choose your scenario

Select the model and the scenario that will be the basis of your analysis

Each step will help you to define the elements of your analysis. If you have already completed one step but change your mind, please do not use the "Back" feature of your browser. Instead, keep on following the steps up to the summary of your analysis, where you will be able to modify the information already provided, if necessary.

etabar-SDG-tree Scan constraint 1D Model Standard Model Scenario EPS15 Continue 2. Continue

1.Fill the fields one after the other



- Home
- Administration ▼
- Legal information

Analysis - Target Input

Choose your target

Select the target(s), i.e., the quantity(ies) that you want to constrain through your analysis


Each step will help you to define the elements of your analysis. If you have already completed one step but change your mind, please do not use the "Back" feature of your browser. Instead, keep on following the steps up to the summary of your analysis, where you will be able to modify the information already provided, if necessary.

You can cancel the current selection by typing CTRL and selecting another element (on Unix/Windows) or by typing Command reselecting the selection (on Mac OS).

You can select several elements by pressing Command/Alt (on Mac OS) or shift (on Unix/Windows) at the time of selection

Information on this scenario (including the default input values) can be found on the EPS15 documentation page Info on params

Target observable



A meaningful range for etabar can be between -5 and 5

Scan min of the first target (etabar)

0.2

Scan max of the first target (etabar)

0.5

Target parameter

A

1. Select the observable or the parameter to scan

Cancel Analysis



- Home
- + Your analyses -
- Administration

 ▼
- Legal information

Analysis - Input Element

Choose your inputs

Select the inputs, i.e., the quantities that will be used to constrain your target


Each step will help you to define the elements of your analysis. If you have already completed one step but change your mind, please do not use the "Back" feature of your browser. Instead, keep on following the steps up to the summary of your analysis, where you will be able to modify the information already provided, if necessary.

You can cancel the current selection by typing CTRL and selecting another element (on Unix/Windows) or by typing Command reselecting the selection (on Mac OS).

You can select several elements by pressing Command/Alt (on Mac OS) or shift (on Unix/Windows) at the time of selection

Information on this scenario (including the default input values) can be found on the EPS15 documentation page

Inputs





1.Select the inputs of the fit (tree observables from recommended global fit)

2. Continue



- Home
- + Your analyses -
- Administration
 ▼
- Legal information

Analysis - Plotting

Parametrise the plotting

This step is not mandatory and it can be skipped clicking the green button "Skip plotting"

¹
[∆] Skip plotting step

Each step will help you to define the elements of your analysis. If you have already completed one step but change your mind, please do not use the "Back" feature of your browser. Instead, keep on following the steps up to the summary of your analysis, where you will be able to modify the information already provided, if necessary.



Please enter a nickname. This will appear on the plot as CKMlive by nickname

SDG

Please enter a title for the plot of the result

Tree only

1. Give a nickname and a title





2. Continue




- Home
- + Your analyses -
- Administration
 ▼
- Legal information


Personalise your analysis

You can change the value of any input by clicking on the associated green button (both in the "Target" and "Inputs" thumbnails). You can see the parameters on which a given input depends by clicking on the corresponding grey button

★ ETABAR-SDG-TREE
Targets Inputs Plot
Your Target(s)
✓ ŋ

[0.2, 0.5]







- Home
- + Your analyses -
- Administration

 ▼
- Legal information

Analysis - List

success Your analysis [809] - "etabar-SDG-tree" has been submitted. You will soon receive an email notification informing you of the end of its execution.

Analysis	Name	Date	Element target	scan constraint	status	Scenario	Edit	Remove				
803	etabar- SDG	02/22/2019 - 05:58	$ar{\eta}$	1	Achieved	EPS15	1	0				
809	etabar- SDG-tree	02/22/2019 - 07:18	$ar{\eta}$	1	Prepared to be launched	EPS15	1	0				

The process is launched




- Home
- + Your analyses -
- Administration
 ▼
- Legal information

Analysis - List

Analysis	Name	Date	Element target	scan constraint	status	Scenario	Edit	Remove				
803	etabar-SDG	02/22/2019 - 05:58	$ar{\eta}$	1	Achieved	EPS15		0				
809	etabar-SDG- tree	02/22/2019 - 07:18	$ar{\eta}$	1	Achieved	EPS15		8				

1

When you get the mails telling you that the process is achieved, the results can be retrieved



Any questions?

